

PRODUKTBLATT  
FACT SHEET



# STAMMSCHUTZBÜGEL TRUNK GUARD



Manche Bauvorhaben benötigen einen Stammschutz, der in der gesamten Platzgestaltung eher in den Hintergrund tritt. Dafür gibt es Stammschutzbügel. Sie dienen dem Stamm als Anfahrschutz, bieten Fahrrädern eine Befestigungsmöglichkeit oder kurzzeitig auch als Sitzgelegenheit. Produziert sind sie aus feuerverzinktem Stahl, pulverbeschichtet und zu 99% recyclebar.

Die Stammschutzbügel bestehen aus mehrteiligen, verschweißten Stahlelementen, sind feuerverzinkt nach DIN EN ISO 1461 und pulverbeschichtet. Wählen Sie aus vielen RAL-Farbtönen, Größen oder Ausführungen.

Some construction projects require trunk protection, which tends to take a back seat in the overall square design. For this purpose, there are trunk guards. They serve the trunk as collision protection, provide bicycles a place to attach them or, even serve as a seat for a short time. They are made of hot-dip galvanized steel, powder-coated and 99% recyclable.

The trunk protection bars consist of multi-part, welded steel elements, are hot-dip galvanized according to DIN EN ISO 1461 and powder-coated. You may choose from many RAL colors, sizes or designs.

Varianten  
Variants



ULMUS  
ARTIKELNUMMER 59085  
ARTICLE NUMBER 59085



CERCIS  
ARTIKELNUMMER 59083  
ARTICLE NUMBER 59083



FICUS  
ARTIKELNUMMER 59081  
ARTICLE NUMBER 59081



ALNUS  
ARTIKELNUMMER 59080  
ARTICLE NUMBER 59080



PYRUS  
ARTIKELNUMMER 59086  
ARTICLE NUMBER 59086



SALIX  
ARTIKELNUMMER 59082  
ARTICLE NUMBER 59082



MELIA  
ARTIKELNUMMER 59092  
ARTICLE NUMBER 59092



GINKGO  
ARTIKELNUMMER 59091  
ARTICLE NUMBER 59091

---

Varianten  
Variants



VITIS  
ARTIKELNUMMER 59094  
ARTICLE NUMBER 59094



CEDRUS  
ARTIKELNUMMER 59090  
ARTICLE NUMBER 59090



PINUS  
ARTIKELNUMMER 59095  
ARTICLE NUMBER 59095

Spezifikationen  
Specifications

| Produkt  <br>Product | Höhe  <br>Hight in cm | Breite  <br>Width in cm | Länge  <br>Length in cm | Durchmesser  <br>Diameter in cm |
|----------------------|-----------------------|-------------------------|-------------------------|---------------------------------|
| ULMUS                | 60                    |                         |                         | Ø 126                           |
| CERCIS               | 70                    | 60                      |                         | Ø 126                           |
| FICUS                | 50                    |                         |                         | Ø 95                            |
| ALNUS                | 50                    |                         |                         | Ø 72                            |
|                      | 50                    |                         |                         | Ø 95                            |
| SALIX                | 60                    |                         |                         | Ø 80                            |
| PYRUS                | 30                    |                         |                         | Ø 100                           |
|                      | 50                    |                         |                         | Ø 120                           |
| PINUS                | 86                    | 86                      | 80                      |                                 |
| ARBITUS              | 60                    | 150                     |                         |                                 |
| GINKO                | 43                    | 50                      | 50                      |                                 |
|                      | 53                    | 50                      | 50                      |                                 |
| VITIS                | 60                    | 66                      |                         |                                 |
| CEDRUS               | 55                    | 66                      |                         |                                 |

Projektbezogene Fertigung |  
Project-specific manufacturing

---

Lieferumfang  
Scope of delivery

01 Stammschutzbügel  
02 Verbindungselemente



01 Trunk guard  
02 Fastener

---

**Komponenten**  
Components

---

**ZUM EINBETONIEREN ODER AUFSCHRAUBEN**  
**BESTEHEND AUS**

---

|        |                                                                                                                                                                               |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ULMUS  | 2 Elemente aus gebogenem Stahlrohr Ø 7,6 cm u. Ø 4,2 cm, feuerverzinkt oder feuerverzinkt und pulverbeschichtet DB 703 Eisenglimmer Feinstruktur oder RAL-Farbton nach Wunsch |
| CERCIS | 3 Elemente aus gebogenem Stahlrohr Ø 7,6 cm u. Ø 4,2 cm, feuerverzinkt oder feuerverzinkt und pulverbeschichtet DB 703 Eisenglimmer Feinstruktur oder RAL-Farbton nach Wunsch |
| FICUS  | 1 Element aus gebogenem Stahlrohr Ø 6 cm, feuerverzinkt oder feuerverzinkt und pulverbeschichtet DB 703 Eisenglimmer Feinstruktur oder RAL-Farbton nach Wunsch                |
| ALNUS  | 2-teilig aus gebogenem Stahlrohr Ø 6 cm, feuerverzinkt oder feuerverzinkt und pulverbeschichtet DB 703 Eisenglimmer Feinstruktur oder RAL-Farbton nach Wunsch                 |
| SALIX  | 3-teilig aus Flachstahl 8 cm x 1 cm, feuerverzinkt oder feuerverzinkt und pulverbeschichtet DB 703 Eisenglimmer Feinstruktur oder RAL-Farbton nach Wunsch                     |
| PYRUS  | 2 Elemente aus gebogenem Stahlrohr Ø 6 cm, feuerverzinkt oder feuerverzinkt und pulverbeschichtet DB 703 Eisenglimmer Feinstruktur oder RAL-Farbton nach Wunsch               |
| MELIA  | 2 Elemente aus Vierkantrohr 6 cm x 6 cm, feuerverzinkt oder feuerverzinkt und pulverbeschichtet DB 703 Eisenglimmer Feinstruktur oder RAL-Farbton nach Wunsch                 |
| GINKGO | 2 Elemente aus Vierkantrohr 6 cm x 6 cm, feuerverzinkt oder feuerverzinkt und pulverbeschichtet DB 703 Eisenglimmer Feinstruktur oder RAL-Farbton nach Wunsch                 |
| VITIS  | 2 Elemente aus Vierkantrohr 4 cm x 4 cm, feuerverzinkt oder feuerverzinkt und pulverbeschichtet DB 703 Eisenglimmer Feinstruktur oder RAL-Farbton nach Wunsch                 |
| CEDRUS | 1, 2, 3 oder 4 Elemente aus Vierkantrohr 6 cm x 0,8 cm, feuerverzinkt oder feuerverzinkt und pulverbeschichtet DB 703 Eisenglimmer Feinstruktur oder RAL-Farbton nach Wunsch  |
| PINUS  | 2-teilig aus Flachstahl 8 cm x 1 cm, feuerverzinkt oder feuerverzinkt und pulverbeschichtet DB 703 Eisenglimmer Feinstruktur oder RAL-Farbton nach Wunsch                     |

## Komponenten

## Components

|        | FOR CONCRETE OR SCREW ON<br>CONSISTING OF                                                                                                                                  |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ULMUS  | 2 elements made of bent tubular steel Ø 7.6 cm and Ø 4.2 cm, hot-dip galvanized or hot-dip galvanized and powder-coated DB 703 mica fine structure or RAL color as desired |
| CERCIS | 3 elements made of bent tubular steel Ø 7.6 cm and Ø 4.2 cm, hot-dip galvanized or hot-dip galvanized and powder-coated DB 703 mica fine structure or RAL color as desired |
| FICUS  | 1 element made of bent steel tube Ø 6 cm, hot-dip galvanized or hot-dip galvanized and powder-coated DB 703 mica fine structure or RAL color as desired                    |
| ALNUS  | 2 parts made of bent tubular steel Ø 6 cm, hot-dip galvanized or hot-dip galvanized and powder-coated DB 703 mica fine structure or RAL color as desired                   |
| SALIX  | 3 parts made of flat steel 8 cm x 1 cm, hot-dip galvanized or hot-dip galvanized and powder-coated DB 703 mica fine structure or RAL color as desired                      |
| PYRUS  | 2 elements made of bent tubular steel Ø 6 cm, hot-dip galvanized or hot-dip galvanized and powder-coated DB 703 mica fine structure or RAL color as desired                |
| MELIA  | 2 elements made of square tube 6 cm x 6 cm, hot-dip galvanized or hot-dip galvanized and powder-coated DB 703 mica fine structure or RAL color as desired                  |
| GINKGO | 2 elements made of square tube 6 cm x 6 cm, hot-dip galvanized or hot-dip galvanized and powder-coated DB 703 mica fine structure or RAL color as desired                  |
| VITIS  | 2 elements made of square tube 4 cm x 4 cm, hot-dip galvanized or hot-dip galvanized and powder-coated DB 703 mica fine structure or RAL color as desired                  |
| CEDRUS | 1, 2, 3 or 4 elements made of square tube 6 cm x 0,8 cm, hot-dip galvanized or hot-dip galvanized and powder-coated DB 703 mica fine structure or RAL color as desired     |
| PINUS  | 2 parts made of flat steel 8 cm x 1 cm, hot-dip galvanized or hot-dip galvanized and powder-coated DB 703 mica fine structure or RAL color as desired                      |





## Produktvorteile

### Product advantages



Stammschutz

Trunk protection



Feuerverzinkter Stahl DIN EN ISO 1461

Galvanized steel DIN EN ISO 1461



Zu 99% recyclebar

99% recyclable



Projektgenaue Fertigung in eigener  
Produktion

Project-specific manufacturing in our  
own production